Index to Volume 25

A

Abstinence, effectiveness of 12-step programs in maintaining, 93-

Addington, J., 151-161

Adlaf, E. M., 639-660

Adolescents

boys, at risk for substance abuse, family and peer correlates of behavioral self-regulation in, 219-237

drug abuse treatment outcome study of, 573-591

drug abusers, screening tool for maladaptive family functioning in, 197–206

inhalant abuse

and the abuse of other drugs in, 371-375

environments of use, 731-741

pregnant, association of violence with multiple substance use in, 425-440

in the street, a cluster-analytic study of substance problems and mental health among, 639–660

Alcohol

abuse, effect on the health status of older adults seen in the ER, 529-542

and injury, comparison of ER populations, 743-759

Alcoholics, inpatient with comorbid cocaine dependence, subject-collateral reports of drinking in, 319–329

Alcoholism, chronic, volunteer assistance in the treatment of, 543–559

Alcohol-related problems, prevalence and determinants of, 715–730

Anderson, R., 475-493

Anglin, M. D., 47-66

Anxiety, symptomatology in female social drinkers, 173–182

Arrestees

sequences of powder cocaine and crack use among, 47–66

validity of self-report of drug use among, 81-91

Attention-deficit/hyperactivity disorder, and substance use, 441– 448

B

Behavioral self-regulation, in boys at risk for substance abuse, family and peer correlates of, 219–237

Bennett, M. E., 331-350

Bernstein, D., 67-80

Binge drinking, among undergraduates, 331–350

Bjork, J. M., 173-182

Blatchley, R. J., 25–45 Boyle, K., 47–66, 81–91 Brady, K. T., 257–268, 441–448 Bray, R. M., 239–256 Byrne, C. A., 257–268

C

Cardiac changes, during short-term abstinence from crack cocaine, 629–637

Cessation of drug use, drug network characteristics as a predictor of, 463-473

Cherpitel, C. J., 743-759

Childhood trauma

effects on risky HIV behaviors in women drug users, 593-606

prevalence in a community sample of substance-abusing women, 449–462

Children

of addicted mothers, risk/protective factors among, 661–679

infants of substance-abusing mothers, psychiatric factors of, 761–769

of narcotic addicts, early deviance and related risk factors in, 25-45

See also Adolescents

Chin, M. H., 529-542

Cilenti, D., 425-440

Clark, D., 219-237

Clark, K. A., 425-440

Clavet, G. J., 731-741

Clure, C., 441-448

Cluster-analytic study, of substance problems and mental health among street youths, 639–660

Cocaine

the autonomy of mood disorders among methadone patients using, 67-80

dependence

intimate violence and posttraumatic stress disorder among individuals with, 257–268

subject-collateral reports of drinking in inpatient alcoholics with, 319–329

detection of illicit use in methadone maintenance treatment, 561– 571

neuropsychological deficits in withdrawn males dependent on, 377–381

powder and crack, sequences of use among arrestees in Los Angeles County, 47–66

university students' perceptions of, 163–172

See also Crack cocaine

Cochrane, C. E., 629-637

College students

drinking, binge drinking, and other drug use among, 331–350

perceptions of tobacco, cocaine, and homicide fatalities, 163– 172

Communal-living recovery setting, self-help, 305–317

Contingency contracting—enhanced methadone detoxification treatment, cost-effectiveness and cost-benefit analysis of, 207— 218

Cost-effectiveness and cost-benefit analysis, of contingency contracting-enhanced methadone detoxification treatment, 207– 218 Cotton-Oldenburg, N. U., 129-149 Crack cocaine

cardiac and mood-related changes during short-term abstinence from, 629-637

sequences of use among arrestees in Los Angeles County, 47–66 Curtin-Davis, M., 305–317

D

Dansereau, D. F., 407-423

Dansky, B. S., 257-268

D'Aunno, T., 681-699

Dawes, M., 219-237

De Leon, G., 495-515

Delucchi, K., 207-218

Depression, symptomatology in female social drinkers, 173-182

Depressive symptoms, synergistic effect with drug network on needle-sharing behavior among street injection drug users, 117–127

Desmond, D. P., 1–23, 449–462, 593–606

Determinants, of alcohol-related problems, 715-730

Deviance, early, in the children of narcotic addicts, 25–45

Dolezal, C., 281-303

Dominicis, C., 197-206

Donepudi, H., 629-637

Dougherty, D. M., 173-182

Drinking

and binge drinking and other drug use among undergraduates, 331-350

in inpatient alcoholics with comorbid cocaine dependence, 319– 329 Drug choice, and symptom pattern in those with attention-deficit/hyperactivity disorder, 441–448

Drug network

characteristics, as a predictor of cessation of drug use among adult injection drug users, 463–473

synergistic effect with depressive symptoms on needle-sharing behavior among street injection drug users, 117–127

Drug treatment careers, among clients in the National Drug Abuse Treatment Outcome Study, gender differences in, 385–406

Duchak, V., 151-161

E

Ehrhardt, A. A., 281-303

el-Guebaly, N., 151-161

Emergency room (ER) patients older adults, the effect of alcohol abuse on the health status of, 529–542

relation of alcohol and injury, 743-759

validity of self-report of drug use among, 81-91

Employment, among substance abuse clients, sex-neutral and sex-specific factors related to, 517–527

Engelhart, C., 377-381

Environments of use, of inhalant abuse among adolescents, 731– 741

ER. See Emergency room

Ethnography, of HIV risk behaviors among heroin and methamphetamine injectors, 1-23

Exner, T. M., 281-303

F

Fairbank, J. A., 239-256

Fallon, B., 67-80

Family correlates, of behavioral selfregulation in boys at risk for substance abuse, 219–237

Family functioning, maladaptive, screening tool for use in adolescent drug abusers, 197– 206

Females. See Women

Ferby, E. N., 715-730

Ferrari, J. R., 305-317

Fiorentine, R., 93-116

Fishman, J., 185-196

Flynn, N., 475-493

Folz-Murphy, N., 681-699

Foote, J., 67-80

Friedmann, P. D., 529-542

Furst, R. T., 607-627

G

Gender

differences, in drug treatment careers among clients in the National Drug Abuse Treatment Outcome Study, 385–406

neutral and specific factors, related to employment among substance abuse clients, 517– 527

Gerrish, R., 543-559

Giacopassi, D., 163-172

Giesbrecht, N., 743-759

Goldstein, R. B., 661-679

Gorman, J. M., 281-303

Graham, E. H., 701-713

Grella, C. E., 385-406

H

Hall, S. M., 207-218, 561-571

Handelsman, L., 67-80

Hanlon, T. E., 25-45

Hartz, D. T., 207-218

Hatch, J. P., 449-462, 593-606

Havassy, B. E., 561-571

Hayley, D. C., 529-542

Health status, of older adults seen in the ER, the effect of alcohol abuse on, 529–542

Henke, C. J., 207-218

Heroin injectors, ethnographic comparison with methamphetamine injectors of HIV risk behaviors of, 1–23

HIV. See Human immunodeficiency virus

Hodgins, D. C., 151-161, 543-559

Homeless mentally ill chemical abusers, modified therapeutic community for, 495–515

Homicide fatalities, university students' perceptions of, 163–172

Hoover, D., 463-473

Hser, Y.-I., 47-66, 81-91

Hubbard, R. L., 573-591

Human immunodeficiency virus (HIV) risk behaviors

effects of childhood trauma on, 593-606

ethnographic comparison among heroin and methamphetamine injectors, 1–23

testing, in substance abusers, 269-280

I

Inhalant abuse

and the abuse of other drugs, 371–375 in adolescents, environments of

use, 731-741

Injecting drug users

adult, drug network characteristics as a predictor of cessation of drug use among, 463–473

of heroin and methamphetamine, ethnographic comparison of HIV risk behaviors of, 1–23

HIV testing in, 269-280

male HIV+ and HIV-, longitudinal changes in sexual risk behavior among, 281-303

out of treatment, methamphetamine use and sexual and injection risk behaviors among, 475–493

in the street, synergistic effect of depressive symptoms and drug network on needle-sharing behavior among, 117–127

Isometric muscle strength, in alcoholic and nonalcoholic livertransplantation candidates (erratum), 183–184

J

Jason, L. A., 305–317 Jin, L., 529–542 Johnson, D., 441–448 Jordan, B. K., 129–149 Joshi, V., 385–406

K

Kajdasz, D. K., 629–637 Kan, J., 701–713 Karrison, T., 529–542 Kerker, B. D., 701–713 Kim, J., 117–127 Kirisci, L., 219–237 Knowlton, A. R., 463–473 Korcha, R., 561–571 Kristiansen, P. L., 573–591 Kumar, N., 607–627 Kupper, L. L., 129–149, 425–440

L

Latkin, C. A., 463–473 Latkin, C., 117–127 Laudet, A., 607–627 Leigh, G., 543–559 Life skills motivation, positive effects on, 407–423 Lin, X., 681–699 Liu, X., 281–303 Longstaffe, S., 371–375 Lynch, S. R., 425–440

M

Macdonald, S., 351-369, 743-759 Maglione, M., 81-91 Magura, S., 67-80, 607-627 Malcolm, R. J., 629-637 Males. See Men Mandell, W., 117-127, 463-473 Marczynski, K. S., 715-730 Marder, K., 281-303 Marsden, M. E., 239-256 Marsh, P., 305-317 Marshall, J. R., 715-730 Martin, S. L., 129-149, 425-440 Mason, W., 731-741 McAvay, G., 661-679 McGarvey, E. L., 731-741 McKendrick, K., 495-515 McMurtrie, C., 701-713 Measures of readiness to change, use in individuals with schizophrenia, 151-161

Medrano, M. A., 449-462, 593-606 Meek, P., 207-218 Men

compared to women in a self-help communal-living recovery setting, 305-317

HIV+ and HIV- injecting drug users, longitudinal changes in sexual risk behavior among, 281-303

as partners of substance-abusing women in treatment, 607-627

withdrawn cocaine dependent, neuropsychological deficits in, 377-381

Mental health, and substance problems among street youths, 639– 660

Mentally ill chemical abusers, homeless, modified therapeutic community for, 495–515

Methadone patients, cocaine using, the autonomy of mood disorders among, 67–80

Methadone

detoxification treatment, contingency contracting enhanced, cost-effectiveness and costbenefit analysis of, 207–218

maintenance treatment, detection of illicit opioid and cocaine use in, 561-571

treatment practices, changes in, 681–699

Methamphetamine

injectors, ethnographic comparison with heroin injectors of HIV risk behaviors of, 1–23

sexual and injection risk behaviors associated with use of, 475–493

Meyer-Bahlburg, H. F. L., 281–303 Mikanda, J. N., 475–493 Military women and men, stress and substance abuse among, 239– 256

Miller, A., 529-542

Miller, J. H., 331-350

Milne, R., 543-559

Moeller, F. G., 173-182

Molitor, F., 475-493

Mood disorders, autonomy among cocaine-using methadone patients, 67-80

Mood-related changes, during shortterm abstinence from crack cocaine, 629-637

Moore, J. W., 629-637

Moss, H., 219-237

Mulliken, R., 529-542

Multiple substance use, association with violence in the lives of pregnant teenage women, 425–440

Mulvey, K. P., 269-280

N

National Drug Abuse Treatment Outcome Study, gender differences in drug treatment careers among clients in, 385–406

Needle sharing, among street injection drug users, 117–127

Nelson, R., 305-317

Nerney, M., 529-542

Neuropsychological deficits, in withdrawn cocaine-dependence males, 377–381

Newbern, D., 407-423

Node-link maps, in a modified therapeutic community, 407-423

Nunes, E. V., 661-679

Nurco, D. N., 25-45

0

Occupational risk factors, associated with alcohol and drug problems, 351–369

O'Grady, K. E., 25-45

Older adults, the effect of alcohol abuse on the health status of, 529–542

Opioids, detection of illicit use in methadone maintenance treatment, 561-571

Out-of-treatment injection drug users, methamphetamine use and sexual and injection risk behaviors among, 475–493

Outpatient treatment program for substance abuse, intensive, 185–196

P

Pajulo, M., 761-769

Peer correlates, of behavioral selfregulation in boys at risk for substance abuse, 219–237

Piha, J., 761-769

Piotrowski, N. A., 207-218

Pitre, U., 407-423

Plough, A., 269-280

Post-traumatic stress disorder, among individuals with cocaine dependence, 257–268

Pregnant women

and postpartum women, substance using, a drug treatment program for, 701-713

teenagers, association of multiple substance abuse with violence in the lives of, 425–440

Prevalence, of alcohol-related problems, 715–730 Prisons, relation of risky sex and drug behaviors of women in, 129–149

Problem Oriented Screening Instrument for Teenagers, as a screening tool for maladaptive family functioning, 197–206

Protective factors, among addicted mothers' offspring, 661–679

Psychiatric factors, of infants of substance-abusing mothers, 761–769

R

Rabkin, J. G., 281-303

Reynolds, T., 185-196

Riedel, E., 185-196

Risk behaviors

for contracting HIV

effects of childhood trauma on, 593-606

ethnographic comparison among heroin and methamphetamine iniectors, 1–23

sexual, among HIV+ and HIVmale injecting drug users, longitudinal changes in, 281-303

sexual and drug related, among women inmates, 129-149

sexual and injection related, relation to methamphetamine use among out-of-treatment injection drug users, 475–493

Risk factors

among addicted mothers' offspring, 661–679

in the children of narcotic addicts, 25-45

occupational, associated with alcohol and drug problems, 351–369 Rittenbury, M., 441–448 Rosenberg, K. D., 701–713 Rosenblum, A., 67–80 Rounds-Bryant, J. L., 573–591 Roy, A., 377–381 Ruiz, J. D., 475–493

S

Sacks, S., 495–515
Saladin, M. E., 441–448
Samet, J. H., 269–280
Santana, S., 377–381
Santisteban, D. A., 197–206
Savonlahti, E., 761–769
Schizophrenia, using measures of readiness to change in individuals with, 151–161
Screening tool, for maladaptive family functioning in adolescent drug abusers, 197–206
Sees, K., 207–218
Self-efficacy, positive effects on, 407–423

Self-help communal-living recovery setting, 305–317 Self-report, of drug use, validity

Self-report, of drug use, validity among STD patients, ER patients, and arrestees, 81–91

Sex-neutral and sex-specific factors, related to employment among substance abuse clients, 517– 527

Sexual risk behavior, among HIV+ and HIV- male injecting drug users, 281-303

Sexually transmitted disease (STD) patients, validity of self-report of drug use among, 81–91

Shaw, V. N., 47-66

Smelson, D. A., 377–381 Smith, B., 305–317

Social drinkers, female, anxiety and depression symptomatology in, 173–182

Staines, G., 495–515 Stalker, R. G., 319–329 Stasiewicz, P. R., 319–329 STD. *See* Sexually transmitted disease

Stern, Y., 281-303

Stress, and substance use among military women and men, 239– 256

Subject-collateral reports, of drinking in inpatient alcoholics with comorbid cocaine dependence, 319–329

Suffet, F., 517–527 Suh, T., 117–127 Sun, R. K., 475–493

Symptom pattern, and drug choice in those with attention-deficit/ hyperactivity disorder, 441– 448

Szapocznik, J., 197-206

T

Tarter, R., 219–237
Teenagers. See Adolescents
Tejeda, M., 197–206
Tenenbein, M., 371–375
Therapeutic community, modified for homeless mentally ill chemical abusers, 495–515
node-link maps in, 407–423
Tobacco, university students' perceptions of, 163–172

Treatment practices, for the use of methadone, 681–699

Treatment programs

for adolescent drug abusers, outcome study of, 573-591

drug, for substance-using pregnant and postpartum women, 701– 713

intensive outpatient, 185–196 male partners of substance-abusing women in, 607–627

12 step, effectiveness in maintaining abstinence, 93–116 See also Methadone

Tusel, D. J., 207-218

12-step programs, effectiveness in maintaining abstinence, 93–116

U

University students. See College students

V

Vandiver, M., 163–172 Verdeli, H., 661–679

Violence

intimate, among individuals with cocaine dependence, 257–268

in the lives of pregnant teenage women, association with multiple substance use, 425– 440

Volunteers, for assistance in the treatment of chronic alcoholism, 543-559

W

Waid, R., 441-448

Waite, D., 731-741

Walter, J., 529-542

Wasserman, D. A., 561-571

Weissman, M. M., 661-679

Wells, S., 351-369

Welte, J. W., 715-730

Wickramaratne, P. J., 661–679

Wild, T. C., 351-369

Withdrawal phenomena, during shortterm abstinence from crack cocaine, 629-637

Women

addicted, risk/protective factors among offspring of, 661–679

compared to men in a self-help communal-living recovery setting, 305-317

drug users, histories of childhood trauma and the effects on risky HIV behaviors in, 593–606

inmates, relation of risky sex and drug behaviors of, 129–149

pregnant teenage, association of violence with multiple substance use in, 425–440

social drinkers, symptomatology of depression and anxiety in, 173– 182

substance abusing

pregnant and postpartum, drug treatment program for, 701– 713

prevalence of childhood trauma in, 449-462

[Women]

psychiatric factors of infants of, 761-769

in treatment, male partners of, 607-627

Woodall, W. G., 331-350

Workplace risk factors, associated with alcohol and drug problems, 351–369 Y

Young, S. J., 371-375

Z

Zaremba, N., 269–280 Zdanowicz, Y. M., 639–660 Zule, W. A., 1–23, 449–462, 593–606

